## Dept. of Computer Science and Engineering, National Sun Yat-sen Univ. Second Semester of 2007 PhD Qualifying Exam Computer Algorithms

- 1. Explain the following terms. (24%)
  - (a) NP, NP-complete
  - (b) 1-center problem
  - (c) traveling saleperson problem
  - (d) minimum spanning tree
  - (e) prune-and-search
  - (f) exact set cover problem
- 2. (a) Explain the *longest common subsequence* (LCS) problem. And, then give an example to illustrate your answer. Note that you should give both explanation and example. (6%)
  - (b) Give the *dynamic programming* approach to solve the LCS problem. What is the time complexity of this algorithm? Why? (10%)
- 3. It is well-known that the *lower bound* of the *sorting* problem is  $\Omega(n \log n)$  based on the comparison operations, where n is the input size. Prove that the lower bound of the *convex hull* problem is also  $\Omega(n \log n)$  by problem transformation. (15%)
- 4. Suppose we obtain the following recurrence formula of time complexity for solving some problem:

$$T(n) = \begin{cases} b & \text{if } n \leq 2\\ 8T(\frac{n}{2}) + cn^2 & \text{if } n > 2, \end{cases}$$

where n is the input size of the solved problem. Please derive the time complexity and represent it with O notation. (15%)

- 5. Prove that the *clique* decision problem polynomially reduces to the *node cover* decision problem. (15%)
- 6. Given a 2-dimensional  $n \times n$  array of positive and negative integers, find the sub-rectangle with the largest sum. A sub-rectangle is any contiguous sub-array of size  $1 \times 1$  or greater located within the whole array. The sum of a sub-rectangle is the sum of all elements in that sub-rectangle. As an example, the sub-rectangle with the largest sum of the array:

is in the lower left corner:

and it has the sum 15. Please design an algorithm with  $O(n^4)$  time to solve this problem and illustrate your algorithm with the above example. You should also give the analysis of time complexity. (15%)